


How to Configure WxWorx™ Bluetooth Capable XM Weather Receiver to your AV80R Handheld.



This step-by-step guide provides AV80R Handheld owners looking to pair their WxWorx™ Bluetooth-capable XM Weather Receiver with the AV80R Handheld.

WHAT YOU'LL NEED

- AV80R Handheld
- WxWorx Bluetooth capable XM Weather Receiver (valid subscription required)

ONE

Ensure both the AV80R and the Weather device are powered and running.


TWO

From the **AV80R MAIN MENU**, touch the **“SETTINGS”** soft key and then touch the **“Blue Tooth”** soft key to display the main **Bluetooth configuration** page:



THREE

Touch the **“Bluetooth Icon”** to open the **Bluetooth manager** page:




FOUR

Double tap on the **“Explore a Bluetooth Device”** option. This will initiate a search for Bluetooth devices. While the search is in progress, the following page is displayed:



FIVE

When the WxRadio receiver is found, double tap on the WxRadio or highlight the **“WxRadio”** file and touch the  soft key to access the device and display




SIX

Enter the Passkey supplied with your WxWorx receiver or **“9679”** and then touch **“OK”** to continue to the Bluetooth Service Browser screen:



SEVEN

Touch the **“Bluetooth Serial Port”** item to select:




EIGHT

Touch the  soft key to start the connection process.



NINE

The page will look like the figure below once the WxWorx receiver is paired:



TEN

Press **“Menu”** button on top of AV80R Handheld to return to **AV80R Main Menu** page:



ELEVEN

On the **Main Menu** page, tap the **“Go Fly”**



soft key to start the Aviation mode navigation program.

TWELVE

Touch the **“OK”** soft key at the Self Test. From the **Map** page, tap on the **“MAIN MENU”** soft key to go to the **Aviation Main Menu**.



THIRTEEN

Tap the **“Settings”**  soft key to open the **System Setup Menu**.


FOURTEEN

Highlight the **“Device Setup”** option and touch the **“SELECT”** soft key to display the **Device Setup** page.

FIFTEEN


On the **Device Setup** page, the configuration steps are:

- Set the Weather **Port** to **“BlueTooth”**.
- Set the Weather **Type** to **“WxWorx”**.
When finished the setup should look like the screen below:
- Touch **“SAVE & EXIT”** soft key to exit this page.




SIXTEEN

Touch **“Status Page”**, scroll down and highlight **“XM Weather Status”** and touch **“Select”**. Review the **Communication Status**, this should have green check marks as seen below for **Receiving Data** and **Receiving Valid Data**:




SEVENTEEN

Touch **“PREVIOUS PAGE”** (twice) and touch the **“Main Menu”** to back out and display **Main Menu** page:



EIGHTEEN

Touch **“Weather”** to view current NEXRAD weather. Please note, this may take a few minutes before NEXRAD weather is received and displayed.



Bendix/King by Honeywell is a global provider of avionics, communications and flight controls for the general aviation market.



Bendix/King by Honeywell 23500 W. 105th Street, Olathe, KS 66061-1950
Tel 913.712.2613 Fax 913.712.5697 **Toll-Free** in U.S. 877.712.2386 **Web** bendixking.com
A60-1115-000-000 © 2009 Bendix/King